

TECHNICAL DATA SHEET

Liquid Grease



Permanent Lubricant

Promast Liquid Grease prevents machine gear & tools from friction. Use for lubricating purposes. Prevents corrosion. Reduces friction noise and increases efficiency. Extends product life by preventing wear.

TECHNICAL DATA

| | |
|--------------------------|----------------|
| ■ Type | Aerosol Spray |
| ■ Color | Translucent |
| ■ Odor | Characteristic |
| ■ Flash Point (°C) (min) | <0°C |
| ■ Density | 0,715 g/cm3 |

APPLICATIONS AREAS

Forklifts, gear systems, construction machines, etc.

APPLICATION METHODS

Shake the can before use and spray to the desired area from a 25-30 cm distance.

HAZARD PHRASES

- H222:Extremely flammable material.
- H229:Pressurized container. May burst if heated.
- H315:Causes skin irritation.
- H336: May cause drowsiness or dizziness.
- H361:Suspected of damaging fertility or the unborn child.
- H373:May cause damage to organs through prolonged or repeated exposure cause the hazard. H411:Toxic to aquatic life with long lasting effects.
- P210:Keep away from heat/ sparks/ open flames/ hot surfaces.
- P211:Do not spray on an open flame or other ignition source.
- P251:Pressurized container. Do not pierce or burn, even after use.
- P260:Avoid breathing dust/ smoke/ gas/ mist/ vapor/ spray.
- P280:Wear protective gloves and clothing, eye&face protection.
- P302+P352 IF CONTACTED WITH SKIN: Wash well with soap and water.
- P304+P340 IF INHALED: remove the person to fresh air.
- P410+P412: Protect from direct sunlight. Do not expose to temperatures exceeding 50°C/122°F. P501:Dispose the container according to regulations.

DIRECTIONS FOR USE

1. Provide adequate ventilation.
2. Shake can thoroughly before use. Note: There is no ball agitator inside the can. For best results, aerosol can should be at room temperature before spraying.
3. Holding can 8 to 10 inches from the surface for open area lubrication, or 5 inches using the extension tube provided for hard to reach areas, press the nozzle and discharge the product on the assembly.

STORAGE

Products shall be ideally stored in a cool, dry location in unopened containers at a temperature between 8C to 21C unless otherwise labeled. Optimal storage is at the lower half of this temperature range.

PACKAGING (Volume)

400 ml Aerosol Can (box of 24 pieces)

